

Applicants : N. Rosen et al.
U.S. Serial No. : 09/445,054
Filing Date : March 27, 2000
Page : 2

b) an antineoplastic agent which is a microtubule-stabilizing agent;

wherein the synergistic therapeutic effect is the treatment of cancers of the brain, breast, colon, genitourinary tract, lymphatic system, pancreas, rectum, stomach, larynx, liver, lung, prostate, stet histiocytic lymphoma lung adenocarcinoma, pancreatic carcinoma, colo-rectal carcinoma, small cell lung cancers or neurological tumor cancer whose growth is inhibited by the administration of the prenyl-protein transferase inhibitor and the antineoplastic agent.

50. (New) The method according to Claim 49 wherein an amount of a prenyl-protein transferase inhibitor and an amount of a microtubule-stabilizing agent are administered simultaneously.

51. (New) The method according to Claim 49 wherein an amount of a microtubule-stabilizing agent and an amount of a prenyl-protein transferase inhibitor are administered consecutively.

52. (New) The method according to Claim 49 wherein the antineoplastic agent is selected from: paclitaxel, epothilone A, epothilone B, desoxyepothilone A or desoxyepothilone B.

53. (New) A method for achieving a synergistic therapeutic effect in a mammal in need thereof which comprises administering to said mammal amounts of at least two therapeutic agents selected from a group consisting of:

- a) a prenyl-protein transferase inhibitor and
- b) an antineoplastic agent selected from paclitaxel, epothilone A, epothilone B, desoxyepothilone A or desoxyepothilone B.

wherein the synergistic therapeutic effect is the treatment of cancers of the brain, breast, colon, genitourinary tract, lymphatic system, pancreas, rectum, stomach, larynx, liver, lung, prostate, stet histiocytic lymphoma lung adenocarcinoma, pancreatic carcinoma, colo-rectal carcinoma, small cell lung cancers or neurological tumor cancer whose growth is inhibited

Applicants : N. Rosen et al.
U.S. Serial No. : 09/445,054
Filing Date : March 27, 2000
Page : 3

by the administration of the prenyl-protein transferase inhibitor and the antineoplastic agent.

54. (New) The method according to Claim 53 wherein the prenyl-protein transferase inhibitor is selected from:

2(S)-Butyl-1-(2,3-diaminoprop-1-yl)-1-(1-naphthoyl)piperazine;

1-(3-Amino-2-(2-naphthylmethylamino)prop-1-yl)-2(S)-butyl-4-(1-naphthoyl)piperazine;

2(S)-Butyl-1-{5-[1-(2-naphthylmethyl)]-4,5-dihydroimidazol}methyl-4-(1-naphthoyl)piperazine;

1-[5-(1-Benzylimidazol)methyl]-2(S)-butyl-4-(1-naphthoyl)piperazine;

1-{5-[1-(4-nitrobenzyl)]imidazolylmethyl}-2(S)-butyl-4-(1-naphthoyl)piperazine;

1-(3-Acetamidomethylthio-2(R)-aminoprop-1-yl)-2(S)-butyl-4-(1-naphthoyl)piperazine;

2(S)-Butyl-1-[2-(1-imidazolyl)ethyl]sulfonyl-4-(1-naphthoyl)piperazine;

2(R)-Butyl-1-imidazolyl-4-methyl-4-(1-naphthoyl)piperazine;

2(S)-Butyl-4-(1-naphthoyl)-1-(3-pyridylmethyl)piperazine;

1-2(S)-butyl-(2(R)-(4-nitrobenzyl)amino-3-hydroxypropyl)-4-(1-naphthoyl)piperazine;

1-(2(R)-Amino-3-hydroxyheptadecyl)-2(S)-butyl-4-(1-naphthoyl)-piperazine;

2(S)-Benzyl-1-imidazolyl-4-methyl-4-(1-naphthoyl)piperazine;

1-(2(R)-Amino-3-(3-benzylthio)propyl)-2(S)-butyl-4-(1-naphthoyl)piperazine;

Applicants : N. Rosen et al.
U.S. Serial No. : 09/445,054
Filing Date : March 27, 2000
Page : 4

1-(2(R)-Amino-3-[3-(4-nitrobenzylthio)propyl])-2(S)-butyl-4-(1-naphthoyl)piperazine;

2(S)-Butyl-1-[(4-imidazolyl)ethyl]-4-(1-naphthoyl)piperazine;

2(S)-Butyl-1-[(4-imidazolyl)methyl]-4-(1-naphthoyl)piperazine;

2(S)-Butyl-1-[(1-naphth-2-ylmethyl)-1H-imidazol-5-yl]acetyl]-

4-(1-naphthoyl)piperazine;

2(S)-Butyl-1-[(1-naphth-2-ylmethyl)-1H-imidazol-5-yl]ethyl]-4-(1-naphthoyl)piperazine;

1-(2(R)-Amino-3-hydroxypropyl)-2(S)-butyl-4-(1-naphthoyl)piperazine;

1-(2(R)-Amino-4-hydroxybutyl)-2(S)-butyl-4-(1-naphthoyl)piperazine;

1-(2-Amino-3-(2-benzyloxyphenyl)propyl)-2(S)-butyl-4-(1-naphthoyl)piperazine;

1-(2-Amino-3-(2-hydroxyphenyl)propyl)-2(S)-butyl-4-(1-naphthoyl)piperazine;

1-[3-(4-imidazolyl)propyl]-2(S)-butyl-4-(1-naphthoyl)-piperazine;

2(S)-n-Butyl-4-(2,3-dimethylphenyl)-1-(4-imidazolylmethyl)-piperazin-5-one;

2(S)-n-Butyl-1-[1-(4-cyanobenzyl)imidazol-5-ylmethyl]-4-(2,3-dimethylphenyl)piperazin-5-one;

1-[1-(4-Cyanobenzyl)imidazol-5-ylmethyl]-4-(2,3-dimethylphenyl)-2(S)-(2-methoxyethyl)piperazin-5-one;

2(S)-n-Butyl-4-(1-naphthoyl)-1-[1-(1-naphthylmethyl)imidazol-5-ylmethyl]-piperazine;

Applicants : N. Rosen et al.
U.S. Serial No. : 09/445,054
Filing Date : March 27, 2000
Page : 5

2(S)-n-Butyl-4-(1-naphthoyl)-1-[1-(2-naphthylmethyl)imidazol-5-ylmethyl]-piperazine;

2(S)-n-Butyl-1-[1-(4-cyanobenzyl)imidazol-5-ylmethyl]-4-(1-naphthoyl)piperazine;

2(S)-n-Butyl-1-[1-(4-methoxybenzyl)imidazol-5-ylmethyl]-4-(1-naphthoyl)piperazine;

2(S)-n-Butyl-1-[1-(3-methyl-2-butenyl)imidazol-5-ylmethyl]-4-(1-naphthoyl)piperazine;

2(S)-n-Butyl-1-[1-(4-fluorobenzyl)imidazol-5-ylmethyl]-4-(1-naphthoyl)piperazine;

2(S)-n-Butyl-1-[1-(4-chlorobenzyl)imidazol-5-ylmethyl]-4-(1-naphthoyl)piperazine;

1-[1-(4-Bromobenzyl)imidazol-5-ylmethyl]-2(S)-n-butyl-4-(1-naphthoyl)piperazine;

2(S)-n-Butyl-4-(1-naphthoyl)-1-[1-(4-trifluoromethylbenzyl)imidazol-5-ylmethyl]-piperazine;

2(S)-n-Butyl-1-[1-(4-methylbenzyl)imidazol-5-ylmethyl]-4-(1-naphthoyl)-piperazine;

2(S)-n-Butyl-1-[1-(3-methylbenzyl)imidazol-5-ylmethyl]-4-(1-naphthoyl)-piperazine;

1-[1-(4-Phenylbenzyl)imidazol-5-ylmethyl]-2(S)-n-butyl-4-(1-naphthoyl)-piperazine;

2(S)-n-Butyl-4-(1-naphthoyl)-1-[1-(2-phenylethyl)imidazol-5-ylmethyl]-piperazine;

2(S)-n-Butyl-4-(1-naphthoyl)-1-[1-(4-trifluoromethoxy)imidazol-5-ylmethyl]piperazine;

1-[[1-(4-cyanobenzyl)-1H-imidazol-5-yl]acetyl]-2(S)-n-butyl-4-(1-naphthoyl)piperazine;

Applicants : N. Rosen et al.
U.S. Serial No. : 09/445,054
Filing Date : March 27, 2000
Page : 6

(S)-1-(3-Chlorophenyl)-4-[1-(4-cyanobenzyl)-5-imidazolylmethyl]-5-[2-(methanesulfonyl)ethyl]-2-piperazinone;

(S)-1-(3-Chlorophenyl)-4-[1-(4-cyanobenzyl)-5-imidazolylmethyl]-5-[2-(ethanesulfonyl)ethyl]-2-piperazinone;

(R)-1-(3-Chlorophenyl)-4-[1-(4-cyanobenzyl)-5-imidazolylmethyl]-5-[2-(ethanesulfonyl)methyl]-2-piperazinone;

(S)-1-(3-Chlorophenyl)-4-[1-(4-cyanobenzyl)-5-imidazolylmethyl]-5-[N-ethyl-2-acetamido]-2-piperazinone;

(±)-5-(2-Butynyl)-1-(3-chlorophenyl)-4-[1-(4-cyanobenzyl)-5-imidazolylmethyl]-2-piperazinone;

1-(3-Chlorophenyl)-4-[1-(4-cyanobenzyl)-5-imidazolylmethyl]-2-piperazinone;

5(S)-Butyl-4-[1-(4-cyanobenzyl)-2-methyl]-5-imidazolylmethyl]-1-(2,3-dimethylphenyl)-piperazin-2-one;

4-[1-(2-(4-Cyanophenyl)-2-propyl)-5-imidazolylmethyl]-1-(3-chlorophenyl)-5(S)-(2-methylsulfonyl)ethyl)piperazin-2-one;

5(S)-n-Butyl-4-[1-(4-cyanobenzyl)-5-imidazolylmethyl]-1-(2-methylphenyl)piperazin-2-one;

4-[1-(4-Cyanobenzyl)-5-imidazolylmethyl]-5(S)-(2-fluoroethyl)-1-(3-chlorophenyl)piperazin-2-one;

4-[3-(4-Cyanobenzyl)pyridin-4-yl]-1-(3-chlorophenyl)-5(S)-(2-methylsulfonyl)ethyl)-piperazin-2-one;

4-[5-(4-Cyanobenzyl)-1-imidazolylethyl]-1-(3-chlorophenyl)piperazin-2-one;

2(S)-[2(S)-[2(R)-Amino-3-mercapto]propylamino-3(S)-methyl]-pentyloxy-3-phenylpropionyl-homoserine lactone,

2(S)-[2(S)-[2(R)-Amino-3-mercapto]propylamino-3(S)-methyl]pentyloxy-3-phenylpropionyl-homoserine,

Applicants : N. Rosen et al.
U.S. Serial No. : 09/445,054
Filing Date : March 27, 2000
Page : 7

2(S) - [2(S) - [2(R) -Amino-3-mercapto]propylamino-3(S) -
methyl]pentylloxy-2-methyl-3-phenylpropionyl-homoserine
lactone,

2(S) - [2(S) - [2(R) -Amino-3-mercapto]propylamino-3(S) -
methyl]pentylloxy-2-methyl-3-phenylpropionyl-homoserine,

2(S) - [2(S) - [2(R) -Amino-3-mercapto]propylamino-3(S) -
methyl]pentylloxy-4-pentenoyl-homoserine lactone,

2(S) - [2(S) - [2(R) -Amino-3-mercapto]propylamino-3(S) -methyl] -
pentylloxy-4-pentenoyl-homoserine,

2(S) - [2(S) - [2(R) -Amino-3-mercapto]propylamino-3(S) -
methyl]pentylloxypentanoyl-homoserine lactone,

2(S) - [2(S) - [2(R) -Amino-3-mercapto]propylamino-3(S) -
methyl]pentylloxypentanoyl-homoserine,

2(S) - [2(S) - [2(R) -Amino-3-mercapto]propylamino-3(S) -methyl] 5-
pentylloxy-4-methylpentanoyl-homoserine lactone,

2(S) - [2(S) - [2(R) -Amino-3-mercapto]propylamino-3(S) -
methyl]pentylloxy-4-methylpentanoyl-homoserine,

2(S) - [2(S) - [2(R) -Amino-3-mercapto]propylamino-3(S) -
methyl]pentylloxy-3-methylbutanoyl-homoserine lactone,

2(S) - [2(S) - [2(R) -Amino-3-mercapto]propylamino-3(S) -
methyl]pentylloxy-3-methylbutanoyl-homoserine,

2(S) - [2(S) - [2(R) -Amino-3-mercapto]propylamino-3(S) -
methyl]pentylloxy-3-phenylbutanoyl-homoserine lactone,

2(S) - [2(S) - [2(R) -Amino-3-mercapto]propylamino-3(S) -methyl] -
pentylloxy-3-phenylbutanoyl-homoserine,

2(S) - [2(S) - [2(R) -Amino-3-mercapto]propylamino-3(S) -
methyl]pentylthio-2-methyl-3-phenylpropionyl-homoserine
lactone,

Applicants : N. Rosen et al.
U.S. Serial No. : 09/445,054
Filing Date : March 27, 2000
Page : 8

2(S) - [2(S) - [2(R) -Amino-3-mercapto]propylamino-3(S) -
methyl]pentylthio-2-methyl-3-phenylpropionyl-homoserine,

2(S) - [2(S) - [2(R) -Amino-3-mercapto]propylamino-3(S) -
methyl]pentylsulfonyl-2-methyl-3-phenylpropionyl-homoserine
lactone,

2(S) - [2(S) - [2(R) -Amino-3-mercapto]propylamino-3(S) -methyl] -
pentylsulfonyl-2-methyl-3-phenylpropionyl-homoserine,

2(S) - [2(S) - [2(R) -Amino-3-mercapto]propylamino-3(S) -methyl] -
pentyloxy-3-phenylpropionyl-methionine methyl ester,

2(S) - [2(S) - [2(R) -Amino-3-mercapto]propylamino-3(S) -
methyl]pentyloxy-3-phenylpropionyl-methionine,

2(S) - [2(S) - [2(R) -Amino-3-mercapto]propylamino-3(S) -
methyl]pentyloxy-3-phenylpropionyl-methionine sulfone methyl
ester,

2(S) - [2(S) - [2(R) -Amino-3-mercapto]propylamino-3(S) -
methyl]pentyloxy-3-phenylpropionyl-methionine sulfone
(Compound A),

2(S) - [2(S) - [2(R) -Amino-3-mercapto]propylamino-3(S) -methyl] -
pentyloxy-3-phenylpropionyl-methionine sulfone isopropyl
ester,

2(S) - [2(S) - [2(R) -Amino-3-mercapto]propylamino-3(S) -methyl] -
pentyloxy-3-naphth-2-yl-propionyl-methionine sulfone methyl
ester,

2(S) - [2(S) - [2(R) -Amino-3-mercapto]propylamino-3(S) -methyl] -
pentyloxy-3-naphth-2-yl-propionyl-methionine sulfone,

2(S) - [2(S) - [2(R) -Amino-3-mercapto]propylamino-3(S) -
methyl]pentyloxy-3-naphth-1-yl-propionyl-methionine sulfone
methyl ester,

2(S) - [2(S) - [2(R) -Amino-3-mercapto]propylamino-3(S) -
methyl]pentyloxy-3-naphth-1-yl-propionyl-methionine sulfone,

Applicants : N. Rosen et al.
U.S. Serial No. : 09/445,054
Filing Date : March 27, 2000
Page : 9

2-(S)-[2(S)-[2(R)-Amino-3-mercapto]propylamino-3(S)-
methyl]pentyloxy-3-methylbutanoyl-methionine methyl ester.

2-(S)-[2(S)-[2(R)-Amino-3-mercapto]propylamino-3(S)-
methyl]pentyloxy-3-methylbutanoyl-methionine,

Disulphide of 2(S)-[2(S)-[2(R)-Amino-3-mercapto]propylamino-
3(S)methyl]pentyloxy-3-phenylpropionyl-homoserine lactone,

Disulphide of 2(S)-[2(S)-[2(R)-Amino-3-mercapto]propylamino-
3(S)-methyl]pentyloxy-3-phenylpropionyl-homoserine,

Disulphide of 2(S)-[2(S)-[2(R)-Amino-3-mercapto]propylamino-
3(S)methyl]pentyloxy-3-methylbutanoyl-methionine methyl ester

1-(4-Biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(4-Cyanobenzyl)-5-(4'-phenylbenzamido)ethyl-imidazole

1-(2'-Trifluoromethyl-4-biphenylmethyl)-5-(4-
cyanobenzyl)imidazole

1-(4-Biphenylethyl)-5-(4-cyanobenzyl)imidazole

1-(2'-Bromo-4-biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(2'-Methyl-4-biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(2'-Trifluoromethoxy-4-biphenylmethyl)-5-(4-
cyanobenzyl)imidazole

1-(4-(3',5'-dichloro)-biphenylmethyl)-5-(4-cyanobenzyl)
imidazole

1-(2'-Methoxy-4-biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(2'-Chloro-4-biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(2-Chloro-4-biphenylmethyl)-5-(4-cyanobenzyl)imidazole

Applicants : N. Rosen et al.
 U.S. Serial No. : 09/445,054
 Filing Date : March 27, 2000
 Page : 10

1-(3-Chloro-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(4-(3',5'-Bis-trifluoromethyl)-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(2'-Trifluoromethyl-4-biphenylmethyl)-5-(4-cyanobenzyl)-4-methylimidazole

1-(4-Biphenylmethyl)-5-(4-cyanophenylloxy)-imidazole

5-(4-Cyanophenylloxy)-1-(2'-methyl-4-biphenylmethyl)-imidazole

5-(4-Biphenylloxy)-1-(4-cyanobenzyl)-imidazole

5-(2'-Methyl-4-biphenylloxy)-1-(4-cyanobenzyl)-imidazole

5-(4-(3',5'-dichloro)biphenylmethyl)-1-(4-cyanobenzyl) imidazole

1-(4-biphenylmethyl)-5-(1-(R,S)-acetoxy-1-(4-cyanophenyl)methylimidazole

1-(4-Biphenylmethyl)-5-(1-(R,S)-hydroxy-1-(4-cyanophenyl)methylimidazole

1-(4-Biphenylmethyl)-5-(1-(R,S)-amino-1-(4-cyanophenyl)methylimidazole

1-(4-biphenylmethyl)-5-(1-(R,S)-methoxy-1-(4-cyanophenyl)-methylimidazole

1-(4-Cyanobenzyl)-5-(1-hydroxy-1-(4-biphenyl)-methyl imidazole

1-(4-Cyanobenzyl)-5-(1-oxo-1-(4-biphenyl)-methyl imidazole

1-(4-Cyanobenzyl)-5-(1-hydroxy-1-(3-fluoro-4-biphenyl)-methyl)-imidazole

1-(4-Cyanobenzyl)-5-(1-hydroxy-1-(3-biphenyl)methyl-imidazole

5-(2-[1,1'-Biphenyl]vinylene)-1-(4-cyanobenzyl) imidazole

Applicants : N. Rosen et al.
U.S. Serial No. : 09/445,054
Filing Date : March 27, 2000
Page : 11

1-[N-(1-(4-cyanobenzyl)-5-imidazolylmethyl)amino]-3-methoxy-4-phenylbenzene

1-(4-Biphenylmethyl)-5-(4-bromophenyloxy)-imidazole

1-(3'-Methyl-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(4'-Methyl-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(3'-Trifluoromethyl-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(4'-Trifluoromethyl-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(3'-Chloro-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(4'-Chloro-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(2'3'-Dichloro-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(2'4'-Dichloro-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(2'5'-Dichloro-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(3'-Trifluoromethoxy-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(2'-Fluoro-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(4-(2'-Trifluoromethylphenyl)-2-Chlorophenylmethyl)-5-(4-cyanobenzyl) imidazole

1-{1-(4-(2'-trifluoromethylphenyl)phenyl)ethyl}-5-(4-cyanobenzyl) imidazole

1-(2'-Trifluoromethyl-4-biphenylpropyl)-5-(4-cyanobenzyl) imidazole

Applicants : N. Rosen et al.
 U.S. Serial No. : 09/445,054
 Filing Date : March 27, 2000
 Page : 12

1-(2'-N-t-Butoxycarbonylamino-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(2'-Aminomethyl-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(2'-Acetylaminomethyl-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(2'-Methylsulfonylaminomethyl-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(2'-Ethylaminomethyl-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(2'-Phenylaminomethyl-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(2'-Glycinylinomethyl-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(2'-Methyl-4-biphenylmethyl)-2-chloro-5-(4-cyanobenzyl) imidazole

1-(2'-Methyl-4-biphenylmethyl)-4-chloro-5-(4-cyanobenzyl) imidazole

1-(3'-Chloro-2-methyl-4-biphenylmethyl)-4-(4-cyanobenzyl) imidazole

1-(3'-Chloro-2-methyl-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(3'-Trifluoromethyl-2-methyl-4-biphenylmethyl)-4-(4-cyanobenzyl) imidazole

1-(3'-Trifluoromethyl-2-methyl-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(3'-Methoxy-2-methyl-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

Applicants : N. Rosen et al.
 U.S. Serial No. : 09/445,054
 Filing Date : March 27, 2000
 Page : 13

1-(2'-Chloro-4'-fluoro-4-biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(2'-Ethyl-4-biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(2'-(2-Propyl)-4-biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(2'-(2-Methyl-2-propyl)-4-biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(2'-Ethyl-4-biphenylmethyl)-5-(4-(1H-tetrazol-5-yl))benzyl)imidazole

1-[1-(4-Cyanobenzyl)imidazol-5-ylmethoxy]-4-(2'-methylphenyl)-2-(3-N-phthalimido-1-propyl)benzene

1-(3',5'-Ditrifluoromethyl-2-methyl-4-biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(3',5'-Chloro-2-methyl-4-biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(3',5'-Dimethyl-2-methyl-4-biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(3-(N-Boc-aminomethyl)-4-biphenylmethyl)-5-(4-cyanobenzyl)-imidazole

1-(3-Aminomethyl-4-biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(4-Cyanobenzyl)-2-methyl-5-(2'-methylbiphenyl-4-yloxy)imidazole

5-(4-Cyanobenzyl)-1-(3-cyano-2'-trifluoromethylbiphenyl-4-ylmethyl)-imidazole

2-Amino-5-(biphenyl-4-ylmethyl)-1-(4-cyanobenzyl)imidazole

2-Amino-1-(biphenyl-4-ylmethyl)-5-(4-cyanobenzyl)imidazole

Applicants : N. Rosen et al.
 U.S. Serial No. : 09/445,054
 Filing Date : March 27, 2000
 Page : 14

1-(3-Butylbiphenyl-4-ylmethyl)-5-(4-cyanobenzyl)-imidazole
 1-(3-Propylbiphenyl-4-ylmethyl)-5-(4-cyanobenzyl)-imidazole
 1-(4-Biphenylmethyl)-4-(4-cyanobenzyl-2-methylimidazole
 1-(4-Cyanobenzyl)-5-[(3-fluoro-4-biphenyl)methyl]imidazole
 1-(4-Cyanobenzyl)-5-[1-(4-biphenyl)-1-hydroxy]ethyl-2-methylimidazole
 1-(4-Cyanobenzyl)-5-(4-biphenylmethyl)-2-methylimidazole
 1-(4-Cyanobenzyl)-5-[1-(4-biphenyl)]ethyl-2-methyl imidazole
 1-(4-Cyanobenzyl)-5-[1-(4-biphenyl)]vinylidene-2-methylimidazole and
 1-(4-Cyanobenzyl)-5-[2-(4-biphenyl)]vinylene-2-methylimidazole
 1-(4-[Pyrid-2-yl]phenylmethyl)-5-(4-cyanobenzyl)imidazole
 1-(4-[3-Methylpyrazin-2-yl]phenylmethyl)-5-(4-cyanobenzyl)imidazole
 1-(4-(Pyrimidinyl-5-yl)phenylmethyl)-5-(4-cyanobenzyl)imidazole
 1-(2-Phenylpyrid-5-ylmethyl)-5-(4-cyanobenzyl)imidazole
 1-(2-Phenyl-N-Oxopyrid-5-ylmethyl)-5-(4-cyanobenzyl)imidazole
 1-(3-Phenylpyrid-6-ylmethyl)-5-(4-cyanobenzyl)imidazole
 1-(3-Phenyl-N-Oxopyrid-6-ylmethyl)-5-(4-cyanobenzyl)imidazole
 1-(2-(3-Trifluoromethoxyphenyl)-pyrid-5-ylmethyl)-5-(4-cyanobenzyl)imidazole

Applicants : N. Rosen et al.
 U.S. Serial No. : 09/445,054
 Filing Date : March 27, 2000
 Page : 15

1-(2-(2-Trifluoromethylphenyl)-pyrid-5-ylmethyl)-5-(4-cyanobenzyl)imidazole

1-(3-Phenyl-2-Chloropyrid-6-ylmethyl)-5-(4-cyanobenzyl)imidazole

1-(3-Phenyl-4-chloropyrid-6-ylmethyl)-5-(4-cyanobenzyl)imidazole

1-(2-Amino-3-phenylpyrid-6-ylmethyl)-5-(4-cyanobenzyl)imidazole

1-(2-[Pyrid-2-yl]pyrid-5-ylmethyl)-5-(4-cyanobenzyl)imidazole

N-{1-(4-Cyanobenzyl)-1H-imidazol-5-yl)methyl}-5-(pyrid-2-yl)-2-amino-pyrimidine

N,N-bis(4-Imidazolemethyl)amino-3-[(3carboxyphenyl)oxy]benzene

N,N-bis(4-Imidazolemethyl)amino-4-[(3carboxyphenyl)oxy]benzene

N,N-bis(4-Imidazolemethyl)amino-3-[(3-carbomethoxyphenyl)-oxy]benzene

N,N-bis(4-Imidazolemethyl)amino-4-[(3-carbomethoxyphenyl)-oxy]benzene

N-(4-Imidazolemethyl)-*N*-(4-nitrobenzyl)aminomethyl-3-[(3-carboxyphenyl)oxy]benzene

N-(4-Imidazolemethyl)-*N*-(4-nitrobenzyl)aminomethyl-3-[(3-carbomethoxyphenyl)oxy]benzene

N-(4-Imidazolemethyl)-*N*-(4-nitrobenzyl)amino-3-(phenoxy)benzene

N-(4-Imidazolemethyl)-*N*-(4-nitrobenzyl)amino-4-(phenoxy)benzene

N-(4-Imidazolemethyl)-*N*-(4-nitrobenzyl)amino-4-(phenylthio)benzene

Applicants : N. Rosen et al.
U.S. Serial No. : 09/445,054
Filing Date : March 27, 2000
Page : 16

N-Butyl-*N*-[1-(4-cyanobenzyl)-5-imidazolemethyl]amino-4-(phenoxy)benzene

N-[1-(4-Cyanobenzyl)-5-imidazolemethyl]amino-4-(phenoxy)benzene

N-(4-Imidazolemethyl)amino-3-[(3-carboxyphenyl)oxy]benzene

1-[*N*-(1-(4-cyanobenzyl)-5-imidazolylmethyl)-*N*-(4-cyanobenzyl)amino]-4-(phenoxy)benzene

(±)-4-[(4-imidazolylmethyl)amino]pentyl-1-(phenoxy)benzene

1-[(*N*-(1-(4-cyanobenzyl)-5-imidazolylmethyl)-*N*-(*n*-butyl)amino)methyl]-4-(phenoxy)benzene

4-[*N*-(1-(4-cyanobenzyl)-5-imidazolylmethyl)-*N*-(*n*-butyl)amino]-1-(phenylthio)benzene

(±)-4-[*N*-(1-(4-cyanobenzyl)-4-imidazolylmethyl)-*N*-(*n*-butyl)amino]-1-(phenylsulfinyl)benzene

3-[*N*-(4-imidazolylmethyl)-*N*-(*n*-butyl)amino]-*N*-(phenyl)benzenesulfonamide and

1-[*N*-(1-(4-cyanobenzyl)-5-imidazolylmethyl)amino]-3-methoxy-4-phenylbenzene

4-{3-[4-(-2-Oxo-2-*H*-pyridin-1-yl)benzyl]-3-*H*-imidazol-4-ylmethyl}benzonitrile

4-{3-[4-3-Methyl-2-oxo-2-*H*-pyridin-1-yl)benzyl]-3-*H*-imidazol-4-ylmethyl}benzonitrile

4-{3-[4-(-2-Oxo-piperidin-1-yl)benzyl]-3-*H*-imidazol-4-ylmethyl}benzonitrile

4-{3-[3-Methyl-4-(2-oxopiperidin-1-yl)-benzyl]-3-*H*-imidazol-4-ylmethyl}-benzonitrile

(4-{3-[4-(2-Oxo-pyrrolidin-1-yl)-benzyl]-3*H*-imidazol-4-ylmethyl}-benzonitrile

Applicants : N. Rosen et al.
U.S. Serial No. : 09/445,054
Filing Date : March 27, 2000
Page : 17

4-{3-[4-(3-Methyl-2-oxo-2-H-pyrazin-1-yl)-benzyl]-3-H-imidazol-4-ylmethyl}-benzonitrile

4-{3-[2-Methoxy-4-(2-oxo-2-H-pyridin-1-yl)-benzyl]-3-H-imidazol-4-ylmethyl}-benzonitrile

4-{1-[4-(5-Chloro-2-oxo-2H-pyridin-1-yl)-benzyl]-1H-pyrrol-2-ylmethyl}-benzonitrile

4-[1-(2-Oxo-2H-[1,2']bipyridinyl-5'-ylmethyl)-1H-pyrrol-2-ylmethyl]-benzonitrile

4-[1-(5-Chloro-2-oxo-2H-[1,2']bipyridinyl-5'-ylmethyl)-1H-pyrrol-2-ylmethyl]-benzonitrile

4-[3-(2-Oxo-1-phenyl-1,2-dihydropyridin-4-ylmethyl)-3H-imidazol-4-ylmethyl]benzonitrile


4-{3-[1-(3-Chloro-phenyl)-2-oxo-1,2-dihydropyridin-4-ylmethyl]-3H-imidazol-4-ylmethyl}benzonitrile

or a pharmaceutically acceptable salt, disulfide or optical isomer thereof.

55. (New) The method according to Claim 49 wherein the prenyl-protein transferase inhibitor is selected from:

2(S)-[2(S)-[2(R)-Amino-3-mercapto]-propylamino-

3(S)-methyl]-pentyloxy-3-phenylpropionyl-methionine sulfone isopropyl ester (Compound A)



Applicants : N. Rosen et al.
U.S. Serial No. : 09/445,054
Filing Date : March 27, 2000
Page : 18


1-(3-Chlorophenyl)-4-[1-(4-cyanobenzyl)-5-imidazolylmethyl]-2-piperazinone;

(R)-1-(3-Chlorophenyl)-4-[1-(4-cyanobenzyl)-5-imidazolylmethyl]-5-[2-(ethanesulfonyl)methyl]-2-piperazinone;

4-[1-(5-Chloro-2-oxo-2H-[1,2']bipyridinyl-5'-ylmethyl)-1H-pyrrol-2-ylmethyl]-benzonitrile and

1-[N-(1-(4-cyanobenzyl)-5-imidazolylmethyl)-N-(4-cyanobenzyl)amino]-4-(phenoxy)benzene

or a pharmaceutically acceptable salt, disulfide or optical isomer thereof.



56. (New) A pharmaceutical composition comprising an amount of a prenyl-protein transferase inhibitor and an amount of an antineoplastic agent which is a microtubule-stabilizing agent, the composition which achieves a synergistic effect for treating cancer in a mammal in need thereof.

57. (New) A method of preparing a pharmaceutical composition which comprises mixing an amount of a prenyl-protein transferase inhibitor and an amount of an antineoplastic agent which is a microtubule-stabilizing agent, said composition capable of achieving a synergistic effect for treating cancer in a mammal.